Progress in CARDIOVASCULAR DISEASES

EDMUND H. SONNENBLICK, M.D., *Editor*
Michael Lesch, M.D., *Assistant Editor*
Charles K. Friedberg, M. D., *Founding Editor*

VOLUME XV, 1972–1973

No. 1 (July/August)

NEW DIAGNOSTIC METHODS. PART II.

Radioactive Tracers in Diagnosis of Cardiovascular Disease ..... *Henry N. Wagner, Jr. and Buck A. Rhodes* 1

Computer Techniques in Diagnosis and Management of Heart Disease..... *C. A. Caceres* 25

Special Article

Analysis of Epidemiologic Studies of Physical Inactivity as Risk Factor for Coronary Artery Disease..... *Victor F. Froelicher and Albert Oberman* 41

NEONATAL HEART DISEASE. PART I.

Pathogenetic Mechanisms in Congenital Cardiovascular Malformations *L. H. S. Van Mierop and Ira H. Gessner* 67

The Intrinsic Physiologic Properties of the Developing Heart..... *William F. Friedman* 87

No. 2 (September/October)

NEONATAL HEART DISEASE. II.

In Memoriam: Charles K. Friedberg ..... *Edmund H. Sonnenblick and Michael Lesch* 113

Effects of Congenital Heart Disease on Fetal and Neonatal Circulations *Michael A. Heymann and Abraham M. Rudolph* 115

Pathogenesis of Congenital Atrioventricular Block ..... *Maurice Lev* 145
Recognition and Management of Cardiologic Problems in the Newborn Infant
Norman S. Talner and A. G. M. Campbell 159
Hemodynamic Investigation of Congenital Heart Disease in Infancy and Childhood
Thomas P. Graham, Jr. and Jay M. Jarmakani 191

No. 3 (November/December)

NEONATAL HEART DISEASE. III.

Perioperative Management of the Infant With Congenital Heart Disease
Welton M. Gersony and Constance J. Hayes 213
Complete Correction of Cardiovascular Malformations in the First Year of Life
Brian G. Barratt-Boyes, John M. Neutze, Eve R. Seelye, and Marie Simpson 229
Cardiomyopathies in Infants and Children ..... *Leonard C. Harris and Quang X. Nghiem* 255

Special Article
Myocardial Utilization of Carbohydrate and Lipids ..... *J. R. Neely, M. J. Rovetto, and J. R. Oram* 289

No. 4 (January/February)

NEONATAL HEART DISEASE. PART IV.

Palliative Surgery in Infants With Congenital Heart Disease
Constantine J. Tatooles and Robert A. Miller 331
Noninvasive Techniques in Pediatric Cardiovascular Disease ..... *Richard A. Meyer and Samuel Kaplan* 341

VALVULAR HEART DISEASE. PART I.

Current Status of Prosthetics for Heart Valve Replacement
Douglas M. Behrendt and W. Gerald Austen 369
Acquired, Nonrheumatic Mitral Regurgitation: Clinical Management With Emphasis on Evaluation of Myocardial Performance..... *E. Louise Kremkau, Philip R. Gilbertson, and J. David Bristow* 403

No. 5 (March/April)

VALVULAR HEART DISEASE. II.

Quantitative Angiographic Evaluation and Pathophysiologic Mechanisms in Valvular Heart Disease ..... *Charles E. Rackley and William P. Hood, Jr.* 427

Care of the Patient Undergoing Valvular Heart Surgery ..... *J. O'Neal Humphries, Vincent L. Gott, and Donald W. Benson* 449

Clinical Aspects of Rheumatic Valvular Disease ..... *Nathaniel Reichek, James C. Shelburne, and Joseph K. Perloff* 491

No. 6 (May/June)

VALVULAR HEART DISEASE. III.

Pathologic Anatomy of Cardiac Valve Replacement: A Study of 224 Necropsy Patients *William C. Roberts, Bernadine H. Bulkley, and Andrew G. Morrow* 539

Valve Replacement: Present Status of Homograft Valves..... *W. W. Angell, P. deLanerolle, and N. E. Shumway* 589

Mitral Valve Prolapse-Click Syndrome ..... *Robert M. Jeresaty* 623

Indexes 653

AUTHOR INDEX

Austen, W.G., 369
Angell, W.W., 589

Barratt-Boyes, B.G., 229
Behrendt, D.M., 369
Benson, D.W., 449
Bristow, J.D., 403
Bulkley, B.H., 539

Caceres, C.A., 25
Campbell, A.G.M., 159

deLanerolle, P., 589

Friedman, W., 87
Froelicher, V.F., 41

Gersony, W.G., 213
Gessner, I.H., 67
Gilbertson, P.R., 403
Gott, V.L., 449
Graham, T.P., Jr., 191

Harris, L.C., 255
Hayes, C.J., 213
Heymann, M.A., 115
Hood, W.P., Jr., 427
Humphries, J.O., 449

Jarmakani, J.M., 191
Jeresaty, R.M., 623

Kaplan, S., 341
Kremkau, E.L., 403

Lesch, M., 113
Lev, M., 145

Meyer, R.A., 341
Miller, R.A., 331
Morrow, A.G., 539

Neely, J.R., 289
Neutze, J.M., 229
Nghiem, Q.X., 255

Oberman, A., 41
Oram, J.R., 289

Perloff, J.K., 491

Rackley, C.E., 427
Reichek, N., 491
Rhodes, B.A., 1
Roberts, W.C., 539
Rovetto, M.J., 289
Rudolph, A.M., 115

Seelye, E.R., 229
Shelburne, J.C., 491
Shumway, N.E., 589
Simpson, M., 229
Sonnenblick, E.H., 113

Talner, N.S., 159
Tatooles, C.J., 331

Van Mierop, L.H.S., 67

Wagner, H., 1

SUBJECT INDEX

Acetylcholine, affecting myocardial contractility, 99
Acetylcholinesterase concentrations, in fetal heart, 108
Acid–base balance, postoperative, in infants, 224, 234
Acidosis
  postoperative, in infants, 224
  responses to, in fetal heart, 99–100
  after valvular heart surgery, 463
Adenovirus, myocarditis from, in infants, 277
Agenesis, cardiovascular, 69–70
Air embolism, after valvular heart surgery, 483
Airway obstruction, after valvular heart surgery, 462
Alkalosis
  postoperative, in infants, 224
  after valvular heart surgery, 462–463
Altitude
  and ductus arteriosus patency, 138
  and effects of hypoxia, 136
Anemia
  fetal and neonatal, responses to, 166, 169
  after valvular heart surgery, 481–482
Aneurysm, at site of excised left ventricular papillary muscles after valve replacement, 568–569
Angiocardiography
  in high-risk infants, 177–178
  in mitral valve prolapse with nonejection click, 644–647
  nuclear, 7–9
    in high-risk infants, 178–179
  in valvular heart disease, 427–444
    See also Valvular heart disease
Antibiotics
  postoperative use for infants, 225
  prophylactic, in valvular heart surgery, 450–451
Anticoagulants, after valvular heart surgery, 477–480
  hazards of, 568
Aorta
  abnormalities of development, 129–135
  atresia of, congenital, 68
  coarctation of. *See* Coarctation of aorta
  intimal thickening of root after valve replacement, 565–567
  in transposition of great vessels, 68, 81, 84
Aortic arch
  double, 79, 83
  interruption of, 79
Aortic valve
  bicuspid, 81
  homografts of, 600–603
  prosthetic, 383–384
    in children, 386
    operative technique, 386–387

Aortic valve—(*Continued*)
results of operation, 389–390
pulmonary valve autografts for, 613
regurgitation of, 518–523
echocardiography in, 357–359
and mitral regurgitation, 533
and mitral stenosis, 533
quantitation of, 439–440
rheumatic, 518–523
stenosis of
echocardiography in, 355–356
and mitral regurgitation, 533
and mitral stenosis, 532–533
rheumatic, 511–517
Aortopulmonary septal defect, 77
Apexcardiography, in mitral valve prolapse with nonejection click, 643
Aplasia, cardiovascular, 69–70
Arginine hydrochloride, dosage for infants, 216
Arrhythmia
postoperative, in infants, 223
from valvular heart surgery, 470–474
Arteriosclerosis
perfusion scans in, 19–21
physical inactivity as risk factor in, 41–62
Arteriovenous fistulae, neonatal responses to, 165–166
Arteriovenous shunts, measurements with radioactive tracers, 18–21
Arthritis, Jaccoud's, 505
Aspiration, tracheobronchial, postoperative, in infants, 221–222
Ataxia, Friedreich's, with cardiovascular abnormalities, 283
Atresia
of aorta, congenital, 68
pulmonary, surgical correction in infancy, 244–245
tricuspid, echocardiography in, 350
Atrial septal defects, 82
echocardiography in, 353
pulmonary vascular resistance in, 137
secundum type, 78
Atrial volume determinations, in congenital heart disease, 192–194
Atrioventricular block
congenital, 145–153
venous pulse in, 362
Atrioventricular canal
persistent, 76, 81
surgical correction in infancy, 239
Auscultation. *See* Heart sounds
Autonomic nervous system, development of, 97–108

Bicarbonate sodium, dosage for infants, 216
Blood flow. *See* Circulation
Blood gas determinations, in high-risk infants, 175–177
Blood pressure monitoring, postoperative, in infants, 222–223, 233
Blood transfusions
for infants with congenital heart disease, 215, 224, 233
in valvular heart surgery, 466
Blood volume measurement, radioactive tracers in, 2–6

Cachexia, in mitral stenosis, 495
Calcification of mitral anulus, after valve replacement, 569, 584
Calcium, metabolism in high-risk infants, 177
Calcium gluconate, dosage for infants, 216
Capillary perfusion studies, with radioactive tracers, 17–21
Carbohydrate, myocardial utilization of, 289–322
Carbon dioxide tensions, in high-risk infants, 175–177
Cardiac output, after valvular heart surgery, 463–464
Cardiomyopathies in infants and children, 255–284
fibroelastosis, endocardial, 255–260, 264–265, 269–270
and Friedreich's ataxia, 283
hypertrophic subaortic stenosis, idiopathic, 270–274
idiopathic nonobstructive, 260–268
in muscular dystrophy, 281–282
myocarditis. *See* Myocarditis in infants
in Pompe's disease, 282
primary, 255–274
restrictive, 268–270
secondary, 274–283
Catechol-o-methyl transferase, activity in fetal heart, 104–105
Catheterization, cardiac
in infants, 331–332
with congenital heart disease, 205–206, 215–217
in high-risk infants, 177–178
in mitral valve prolapse with nonejection click, 643
in valvular heart disease, 449–450
Central nervous system disorders, and valvular heart surgery, 454–455, 483–484
Cerebral complications, from surgery in infancy, 249
Cerebral embolism, after valvular heart surgery, 483
Chagas' disease, and myocarditis in children, 277–278
Chiari's network, 78

Chlorthiazide, dosage for infants, 216
Chordae tendineae, rupture of, 404–409
Circulation
  blood flow determinations in congenital heart disease, 195–204
  fetal, 115–121
    congenital heart disease affecting, 115–141
    postnatal changes in, 122–123
    pulmonary, 121–122
  hemodynamic effects of congenital heart disease, 191–210
  myocardial, radioactive tracer studies of, 9–13
  peripheral arterial, radioactive tracer studies of, 17–21
  pulmonary. *See* Pulmonary blood flow
Circulatory arrest time, for infants, 249
Citric acid cycle, myocardial, 312–318
Click syndromes
  and mitral prolapse, 623–648
  and mitral regurgitation, 417–421
Coarctation of aorta
  left ventricular volume in, 199–202
  management of infants with, 183
  postnatal development of, 139–141
  surgical correction in infants, 334–336
  with ventricular septal defect and transposition of great arteries, 244
Computer techniques, diagnostic use of, 25–37
Congenital cardiovascular abnormalities
  aplasia or agenesis, 69–70
  atrioventricular block, 145–153
  and basis for hypoxia in newborn, 159–169
  and blood flow determinations, 195–204
  diagnostic approach to high-risk infant, 170–179
  ductus arteriosus role in, 138–141
  dysplasia, 71–72
  echocardiography in, 341–359
  excessive resorption, 78
  fusion defects, 76–78
  hemodynamic studies of, 191–210
  hemodynamic effects on fetus, 115–141
  hypoplasia, 70–71
  inadequate resorption, 78
  and left heart volume determinations, 192–194, 199–204
  malposition, 72–76
  medical management of infants, 179–183
  and mitral valve prolapse with nonejection click, 629
  and muscle function of left ventricle, 206–209
  noninvasive techniques in, 341–365
  obliteration abnormalities, 79
  palliative surgery in, 331–339
  patency persistence, 79
  pathogenetic mechanisms in, 67–84
  perioperative management of infants, 213–226
  and pressure measurements, 204–206
  and properties of developing heart, 87–109
  prosthetic heart valves in, 386
  and pulmonary circulation changes, 135–138
  radioactive tracer studies in, 7–9
  and regional infant cardiac program, 183–187
Contraction, myocardial, mechanics of, 87–91
Convulsions, after valvular heart surgery, 483
Coronary artery disease
  and Friedreich's ataxia, 283
  intimal thickening after valve replacement, 565–567, 578
  and mitral valve prolapse with nonejection click, 627, 647
  physical inactivity as risk factor in, 41–62
Cough, in mitral stenosis, 494–495
Coxsackie B virus, myocarditis from, in infants, 274–275
Curare, dosage for infants, 216
Cyanosis
  and hypoxia in newborn, 159–170
  radioactive tracer studies in, 7–9

Death, sudden
  in aortic stenosis, 513
  in mitral valve prolapse with nonejection click, 647
  after valvular heart surgery, 483
Developing heart, properties of, 87–109
Diabetes, and valvular heart surgery, 453
Diagnostic methods
  computer techniques in, 25–37
  for high-risk infants, 170–179
  radioactive tracers in, 1–22
Diazepam, dosage for infants, 216
Diet
  deficiencies in, and cardiomyopathies in infants, 262–263
  feeding problems in high-risk infants, 172
  in heart failure of newborn, 182
Digitalis
  in congenital heart disease in infants, 216
  in congestive heart failure in newborn, 180–181, 223
  preoperative use of, 451
Diphtheritic myocarditis, in infants, 279–281
Diuretics
  in congenital heart disease in infants, 216
  in congestive heart failure of newborn, 181–182, 224, 225
  preoperative use of, 451–452
  after valvular heart surgery, 480
Ductus arteriosus, 127–129
  abnormal development of, 134–135

Ductus arteriosus—(*Continued*)
and cardiologic problems in newborn, 162–163
in congenital cardiac malformations, 138–141
patency of, 79
echocardiography in, 353
left heart volume determinations in, 203
management of infants with, 183
in premature infants, 138
surgical correction in infants, 333–334
premature closure of, 166–167
and pulmonary blood flow, 138–139
Ductus venosus, and cardiologic problems in newborn, 163
Dysplasia, cardiovascular, 71–72
Dyspnea, in mitral stenosis, 494
Dystrophy, muscular, myocardium in, 281–282

Ebstein's anomaly, 71, 78
prosthetic tricuspid valve in, 386
Echocardiography
in aortic regurgitation, 523
in aortic stenosis, 517
in double outlet right ventricle, 350
in Fallot's tetralogy, 350–351
in high-risk infants, 178
in mitral prolapse with nonejection click, 643
in mitral regurgitation, 510–511
in mitral stenosis, 500–501
in normal babies, 342–346
in pediatric cardiovascular disease, 341–359
acquired, 356–359
congenital, 346–356
neonatal, 346–353
in older children, 353–356
in single ventricle, 348–349
in total anomalous pulmonary venous drainage, 347–348, 353
in tricuspid regurgitation, 532
in tricuspid stenosis, 529
Ectopia cordis, 72
Edema, pulmonary
management of infants with, 182
in valvular heart surgery, 467–468
Effusions, pericardial
echocardiography in, 359
radioactive tracers in detection of, 3–5
Eisenmenger complex, 70–71, 82
Electrocardiography
in aortic regurgitation, 522
in aortic stenosis, 516
computer techniques in, 32–34
in high-risk infants, 173–175
in mitral prolapse with nonejection click, 638–642
amyl nitrite affecting, 641
in mitral regurgitation, 510
in mitral stenosis, 500
in tricuspid stenosis, 527
Electrolyte therapy, postoperative, for infants, 225, 233
Embolism
cerebral, after valvular heart surgery, 483
from prosthetic heart valves, 380, 395, 477, 605–606
pulmonary
radioactive tracers in detection of, 3, 14–17, 22
after valvular heart surgery, 476–477
and valvular heart surgery, 452
radioactive tracer studies in, 21–22
in rheumatic mitral disease, 495
after valve replacement, 605–606
Endocardial cushion defect, 76, 81
Endocardial fibroelastosis, 255–260, 264–265, 269–270
after mitral valve replacement, 563–565
Endocarditis
and mitral valve prolapse with nonejection click, 648
and valvular heart surgery, 455
from valvular heart surgery, 474–475
Endocrine disorders, and valvular heart surgery, 453
Ethacrynic acid
in congenital heart disease in infants, 216
in congestive heart failure of newborn, 181–182, 224
Exercise, lack of, and coronary artery disease, 41–62

Fallot's tetralogy, 74–75, 82
echocardiography in, 350–351
surgical correction in infancy, 241, 251
Fatty acids, myocardial utilization of, 295–322
Feeding problems, in high-risk infants, 172
Fetal heart
congestive heart failure in, 164–165
hemodynamic effects of congenital disease, 115–141
physiologic properties of, 87–109
Fever
from prosthetic heart valves, 395–396
from valvular heart surgery, 474–475
Fibroelastosis, endocardial, 255–260, 264–265, 269–270
after mitral valve replacement, 563–565
Fick method, for blood flow determinations, 195–196
Fistulae
arteriovenous, neonatal responses to, 165–166
around prosthetic valves, 554–556
Fluid administration, postoperative, for infants, 224–225, 233

Foramen ovale
and cardiologic problems in newborn, 163–164
premature closure of, 166
Friedberg, Charles K., 113 (in memoriam)
Friedreich's ataxia, with cardiovascular abnormalities, 283
Furosemide
in congenital heart disease in infants, 216
in congestive heart failure of newborn, 181–182, 224, 225
Fusion defects, cardiovascular, 76–78

Gastrointestinal disease, and valvular heart surgery, 453–454
Glenn operation, affecting venous pulse, 363
Glucose
metabolism of
in high-risk infants, 177
myocardial, 291–299
postoperative levels in infants, 225, 233
Glycogen metabolism, myocardial, 293–295
Glycogenosis, generalized, heart in, 282
Glycolysis, myocardial, 292–293

Heart block, atrioventricular
congenital, 145–153
venous pulse in, 362
Heart failure, congestive
in fetus, 164–165
in infants, management of, 179–182
postoperative, in infants, 223–224
after valve replacement, 550–552
in valvular heart surgery, 467–468
Heart rate
in high-risk infants, 171
postoperative monitoring of, in infants, 223
Heart sounds
in aortic regurgitation, 520–522
in aortic stenosis, 514–516
in high-risk infants, 172
in mitral prolapse with nonejection click, 630–637
in mitral regurgitation, 507–510
in mitral stenosis, 497–498
in tricuspid regurgitation, 531–532
in tricuspid stenosis, 527
Hematologic disorders, and valvular heart surgery, 455
Hemodynamics
in congenital heart disease, 191–210
fetal, congenital disease affecting, 115–141
Hemoglobin and hematocrit, in high-risk infants, 175
Hemoglobinuria, postoperative, in infants, 225
Hemolysis, intravascular
after valve replacement, 567–568, 604
after valvular heart surgery, 481–482
Hemoptysis, in mitral stenosis, 495
Hemorrhage
central nervous system, after valve replacement, 568, 583
myocardial, after valve replacement, 549–550
Hemosiderosis, renal, after valve replacement, 583, 584
Hepatomegaly, in high-risk infants, 172
History-taking, computer techniques in, 28–30
Holmes heart, 74
Hypoplasia, cardiovascular, 70–71
Hypothermia, for surgery in infants, 229–232, 250–251
Hypoxemia, management of infants with, 179
Hypoxia
and acidosis in newborn, 99–100
adaptation of newborn to, 169–170
cardiac basis for, 161–168
and central nervous system disease, 168
hematologic basis for, 169
and myocardial metabolism, 296–299
in newborn, functional and clinical basis for, 159–169
pulmonary basis for, 168
and pulmonary vascular resistance in newborn, 136
after valvular heart surgery, 460–462

Indicator dilution studies, in congenital heart disease, 196–204
Infants. *See* Congenital cardiovascular abnormalities; Neonatal heart disease
Infarction, myocardial
physical inactivity as risk factor in, 41–62
radioactive tracer studies in, 6
Infections
from prosthetic heart valves, 395–396
at site of attachment of prosthetic valve, 556, 582, 605
from valvular heart surgery, 474–475
Insufficiency, valvular. *See specific valves*
Intubation
endotracheal, after valvular heart surgery, 459
nasotracheal, postoperative, for infants, 219–220, 233
Ischemia, affecting myocardial metabolism, 296–299
Isoproterenol
in congenital heart disease in infants, 216
in congestive heart failure of newborn, 181, 223
responses to, in fetal heart, 98

Jaccoud's arthritis, 505
Jaundice, after valvular heart surgery, 484–485
Jugular venous pulse, 360–363

Ketamine, dosage for infants, 216
Kidney
  diseases of, and valvular heart surgery, 453
  function disorders after valvular heart surgery, 480
  postoperative function in infants, 224–225

Lactate levels, postoperative, in infants, 234
Lathyrism, and mitral valve prolapse with nonejection click, 627
Lidocaine, in congenital heart disease in infants, 216
Lipids, myocardial utilization of, 289–322
Liver disorders
  hepatomegaly in high-risk infants, 172
  jaundice after valvular heart surgery, 484–485
  and valvular heart surgery, 454
Lung scanning, 13–17

Magnesium deficiency, and cardiomyopathies in infants, 262
Malformations, cardiac. *See* Congenital cardiovascular abnormalities
Malnutrition, and cardiomyopathies in infants, 262–263
Malposition, cardiovascular, 72–76
Mannitol
  in congenital heart disease in infants, 216
  after valvular heart surgery, 480
Marfan's syndrome, and mitral valve prolapse with nonejection click, 625–627
Meperidine, dosage for infants, 216
Methemoglobin determinations, in high-risk infants, 177
Mitral valve
  abnormal fusion of, 78
  calcification of anulus after valve replacement, 569, 584
  homografts of, 603
  prolapse of, with nonejection click, 623–647
    and amyl nitrite effects on ECG, 641
    angiocardiography in, 644–647
    auscultatory and phonocardiographic findings, 630–637
    in childhood, 624
    complications of, 647–648
    congenital cardiac abnormalities associated with, 629
    and coronary artery disease, 627, 647
    electrocardiography in, 638–642
    and endocarditis, bacterial, 648
    familial occurrence of, 628
    hemodynamic findings, 643
    incidence of, 624
    and lathyrism, 627
    leaflet involvement in, 625
    and Marfan's syndrome, 625–627
    and myxomatous degeneration, 625
    pathologic considerations in, 624–629
    prognosis of, 647
    progression of, 648
    radiology in, 642–643
    and rheumatic heart disease, 628
    surgery in, 648
    symptoms of, 629–630
  prosthetic, 384–385
    in children, 386
    operative technique, 387–388
    results of operation, 390–393
  pulmonary valve autografts for, 613
  regurgitation of, 403–423, 504–511
    and aortic regurgitation, 533
    and aortic stenosis, 533
    in chordae tendineae rupture, 404–409
    in "click" syndrome, 417–421
    echocardiography in, 356–357
    and left ventricular dilatation, 414–417
    in papillary muscle dysfunction, 410–414
    in papillary muscle rupture, 409–410
    quantitation of, 439–440
    rheumatic, 504–511
    stenosis with, 502–504
  stenosis of
    acquired, echocardiography in, 357
    and aortic regurgitation, 533
    and aortic stenosis, 532–533
    congenital, echocardiography in, 350
    regurgitation with, 502–504
    rheumatic, 491–504
Monitoring of patients
  computer techniques in, 35
  postoperative, for infants, 222–223, 233
Monoamine oxidase activity, in fetal heart, 102–103
Morphine, dosage for infants, 216
Mortality rates, and physical inactivity as risk factor, 41–62
Muscular dystrophy, myocardium in, 281–282
Myocarditis in infants
  from adenovirus, 277
  from Coxsackie B virus, 274–275
  diphtheritic, 279–281
  from ECHO virus, 277
  from rubella virus, 275–277
  from toxins, 279–281
  from toxoplasmosis, 279
  trypanosomal, 277–279
  from varicella, 277
  viral, 274–277

Myocardium
blood flow studies with radioactive tracers, 9–13
contraction mechanics, 87–91
diminished function after valvular heart surgery, 465–466
energy metabolism of, 94–96
infarction of. *See* Infarction, myocardial
muscular dystrophy affecting, 281–282
necrosis after valve replacement, 545–547, 573, 580, 585
neonatal dysfunction of, 167–168
utilization of carbohydrate and lipids, 289–322
Myxomatous degeneration, and mitral valve prolapse with nonejection click, 625

Necrosis, myocardial, after valve replacement, 545–547, 573, 580, 585
Neonatal heart disease
cardiomyopathies, 255–284
echocardiography in, 341–359
noninvasive techniques in, 341–365
systolic time intervals in, 363–364
venous pulse in, 360–363
See also Congenital cardiovascular abnormalities
Nervous system
autonomic, development of, 97–108
central, disorders of
after valvular heart surgery, 483–484
and valvular heart surgery, 454–455
Norepinephrine
cardiac storage of, in developing heart, 101–102
responses to, in fetal heart, 97–98
Nutrition. *See* Diet

Occlusive vascular disease, perfusion scans in, 19–21
Ostium primum defects, echocardiography in, 353
Oxygen
arterial tension in high-risk infants, 175–177
saturations in congenital heart disease, 195–196
therapy with, in pulmonary edema in infants, 182
whole-body uptake in infants, postoperative, 234
See also Hypoxia

Paget's disease of bone, perfusion scans in, 19–20
Papillary muscle
dysfunction of, 410–414
rupture of, 409–410
Pediatric disorders
mitral valve prolapse with nonejection click, 624
See also Congenital cardiovascular abnormalities; Neonatal heart disease
Penicillin
dosage for infants, 216
postoperative use for infants, 225
prophylactic, in valvular heart surgery, 451
Perfusion scans, capillary, 17–21
Pericardial effusions
echocardiography in, 359
radioactive tracers in detection of, 3–5
Peripheral arterial blood flow, radioactive tracer studies of, 17–21
pH determinations
in high-risk infants, 175–177
postoperative, in infants, 234
Phlebograms, external, 360–363
Phonocardiography
in aortic regurgitation, 523
in aortic stenosis, 517
computer techniques in, 34
in mitral prolapse with nonejection click, 630–637
in mitral regurgitation, 511
in mitral stenosis, 501–502
in tricuspid regurgitation, 532
in tricuspid stenosis, 529
Physical inactivity, and coronary artery disease, 41–62
Plantain intake, excessive, and cardiomyopathies in infants, 263
Polycythemia, radioactive tracer studies in, 2–3
Pompe's disease, heart in, 282
Position
cardiovascular anomalies of, 72–76
and management of infants with heart failure, 182
Potassium
blood levels after valvular heart surgery, 451–452, 468–469
deficiency of, and cardiomyopathies in infants, 262
Potts-Smith-Gibson anastomosis, 337
Pressure measurements, in congenital heart disease, 204–206
Prolapse of mitral valve, with nonejection click, 623–648
Propranolol, responses to, in fetal heart, 100–101
Prosthetic heart valves, 369–397
and aneurysm formation at sites of excised left ventricular papillary muscles, 568–569
aortic, 383–384
in children, 386

Prosthetic heart valves—(*Continued*)
operative technique, 386–387
results of operation, 389–390
calcification of mitral anulus after, 569, 584
in children, 386
cloth-covered, necropsy studies of, 570–572, 584
complications of, 370–378, 380–383, 394–396
congestive cardiac failure after, 550–552
criteria for surgery, 441–442
design of, 370–382
deterioration of, 394–395
durability of, 378–380
dysfunction of, 464–465, 482–483, 541–545, 605
early postoperative deaths, 541–550, 579
ease of insertion of, 381
embolism after, 380, 395, 477, 605–606
fever and infection from, 395–396
fistulae around, 554–556
and hazards of anticoagulants, 568
historical review of, 369
infection at site of attachment, 556, 582, 605
intimal thickening of aortic root and coronary arteries after, 565–567, 578
intravascular hemolysis after, 567–568, 604
late postoperative deaths, 550–574, 580, 581
leaks with, 381–382
left ventricular endocardial fibroelastosis after, 563–565
mitral, 384–385
in children, 386
operative technique, 387–388
results of operation, 390–393
multiple, 385–386
operative technique, 389
results of operation, 393
myocardial hemorrhage after, 549–550
myocardial necrosis after, 545–547, 573, 580, 585
and obstruction to forward flow, 370–375
operative mortality from, 606–607
operative technique, 386–389
pathologic anatomy of, 539–585
patient acceptability of, 380–381
period of time between replacement and death, 578
renal hemosiderosis after, 583–584
results of operation, 389–393
selection of patients for, 382–386
sizes of, and postoperative deaths, 540, 576
status of silicone rubber poppets after, 556–563, 584, 605
stenosis of, 578
thrombogenicity of, 375–377, 395, 552–554
trauma from, 377–378
tricuspid, 385
in children, 386
operative technique, 388–389
results of operation, 393
weight of hearts after, 577
See also Valve replacement
Prothrombin levels, after cardiac valve replacement, 568, 583
Psychiatric disorders
after valvular heart surgery, 483–484
and valvular heart surgery, 454–455
Pulmonary artery
abnormalities of development, 129–135
banding of, in infants, 336–337
in transposition of great vessels, 68, 81, 84
Pulmonary blood flow
in congenital cardiac malformations, 135–138
decreased, in infants, 337–339
ductus arteriosus affecting, 138–139
fetal, 121–122
increased, in infants, 336–337
postnatal changes in, 123–126
radioactive tracer studies of, 13–17
Pulmonary disease, and valvular heart surgery, 452–453
Pulmonary edema
management of infants with, 182
in valvular heart surgery, 467–468
Pulmonary embolism
radioactive tracers in detection of, 3, 14–17, 22
after valvular heart surgery, 476–477
and valvular heart surgery, 452
Pulmonary valve
atresia of, surgical correction in infancy, 244–245
autografts of, for aortic and mitral valve substitutes, 613
bicuspid, 81
regurgitation of, echocardiography in, 353
stenosis of, venous pulse in, 361
valvotomy, in infants, 339
Pulmonary vascular resistance
in atrial septal defects, 137
and heart failure in newborn, 164
hypoxia affecting, 136
Pulmonary veins, total anomalous connection of, 81, 84
echocardiography in, 347–348, 353
radionuclides in diagnosis of, 198
surgical correction in infancy, 240–241, 251
Pulse
in aortic regurgitation, 520
in aortic stenosis, 513–514
in high-risk infants, 171
in mitral regurgitation, 505
in mitral stenosis, 496
in tricuspid regurgitation, 530–531
in tricuspid stenosis, 527
venous jugular, 360–363

Radioactive tracers, diagnostic use of, 1–22
for cardiac structure studies, 7–9
for compartmental volume measurements, 2–6
in infants with congenital heart disease, 197–199
for intravascular volumes, 6
for myocardial blood flow measurements, 9–13
for peripheral arterial blood flow, 17–21
for pulmonary arterial blood flow studies, 13–17
in pulmonary embolism, 3, 14–17, 22
for thromboemboli detection, 21–22
Radiology of chest
in aortic regurgitation, 522–623
in aortic stenosis, 517
in high-risk infants, 172–173
in mitral prolapse with nonejection click, 642–643
in mitral regurgitation, 510
in mitral stenosis, 500
in tricuspid regurgitation, 532
in tricuspid stenosis, 527–528
Regurgitation, valvular. *See specific valves*
Respiration, in high-risk infants, 171
Respirators. *See* Ventilation, artificial
Respiratory disorders
in mitral stenosis, 494
after valvular heart surgery, 460–463
Rheumatic valvular disease, 491–533
aortic regurgitation, 518–523
chest x-ray in, 522–523
echocardiography in, 523
electrocardiography in, 522
and functional anatomy, 518–519
and mitral regurgitation, 533
and mitral stenosis, 533
mixed lesions in, 523
natural history of, 519
phonocardiography in, 523
physical examination in, 520–522
symptoms of, 519
aortic stenosis, 511–517
chest x-ray in, 517
echocardiography in, 517
electrocardiography in, 516
and functional anatomy, 512
and mitral regurgitation, 533
and mitral stenosis, 532–533
phonocardiography in, 517
physical signs of, 513–516
symptoms of, 512–513
and mitral prolapse with nonejection click, 628
mitral regurgitation, 504–511
and aortic regurgitation, 533
and aortic stenosis, 533
chest x-ray in, 510
echocardiography in, 510–511
electrocardiography in, 510
and functional anatomy, 403–404, 504–505
mixed lesions in, 511
natural history of, 505
phonocardiography in, 511
physical signs of, 505–510
stenosis with, 502–504
mitral stenosis, 491–504
and aortic regurgitation, 533
and aortic stenosis, 532–533
chest x-ray in, 500
echocardiography in, 500–501
electrocardiogram in, 500
and functional anatomy, 491–493
natural history of, 493–494
phonocardiography of, 501–502
physical signs in, 496–500
regurgitation with, 502–504
symptoms of, 494–496
after valvotomy, 502
tricuspid regurgitation, 529–532
chest x-ray in, 532
echocardiography in, 532
and functional anatomy, 529
natural history of, 529
phonocardiography in, 532
physical examination in, 530–532
symptoms of, 529
tricuspid stenosis, 524–529
chest x-ray in, 527–528
echocardiography in, 529
electrocardiography in, 527
and functional anatomy, 524–526
natural history of, 526–527
phonocardiography in, 529
physical signs of, 527
Rubella virus, myocarditis from, in infants, 275–277
Rupture
of chordae tendineae, 404–409
of papillary muscle, 409–410

Scintillation scanning. *See* Radioactive tracers
Sedation, in pulmonary edema of newborn, 182
Septal defects. *See* Atrial septal defects; Ventricles, septal defects
Septostomy
atrial, for total anomalous pulmonary venous connection, 251
balloon, in hypoxemia of new born, 179
Shock, in valvular heart surgery, 464
Sinus valve, right, retention of, 78
Sodium levels, after valvular heart surgery, 469
Spirometry, value of, 30
Spironolactone, dosage for infants, 216

Starr-Edwards valve, results with, 389–393
Stenosis
  aortic. *See* Aortic valve
  mitral. *See* Mitral valve
  of prosthetic valves, 578
  of pulmonary valve, venous pulse in, 361
  subaortic, idiopathic hypertrophic, 270–274
    echocardiography in, 354–355
    and Friedreich's ataxia, 283
  tricuspid, rheumatic, 524–529
Succinic dehydrogenase deficiency, and cardiomyopathies in infants, 266–268
Surgery
  for infants, 213–226
    in atrioventricular canal, 239
    and cardiac catheterization, 215–217, 331–332
    cerebral complications, 249
    in coarctation of aorta, 334–336
    complete correction in first year of life, 229–252
    for decreased pulmonary blood flow, 337–339
    for double right ventricle, 241
    for ductus arteriosus patency, 333–334
    hypothermia for, 229, 250–251
    for increased pulmonary blood flow, 336–337
    palliative techniques, 331–339
    postoperative care, 218–225, 233
    pulmonary artery banding, 336–337
    for pulmonary atresia, 244–246
    pulmonary complications of, 218–222, 247–249
    techniques in, 217–218
    for tetralogy of Fallot, 241, 251
    for total anomalous pulmonary venous connection, 240–241, 251
    for transposition of great arteries, 241–244, 252
    for ventricular septal defect, 238–239, 251
  in mitral valve prolapse with nonejection click, 648
  valvular, 449–485
    and acidosis, 463
    airway obstruction in, 462
    and alkalosis, 462–463
    anemia from, 481–482
    arrhythmias from, 470–474
    blood loss in, 466
    and cardiac output maintenance, 463–464
    in central nervous system disorders, 454
    central nervous system disorders from, 483–484
    drug fever after, 476
    and drug therapy, 450–452
    embolization after, 380, 395, 477
    in endocrine disorders, 453
    fever from, 474–477
    in gastrointestinal disease, 453–454
    in hematologic disorders, 455
    in infectious endocarditis, 455
    jaundice after, 484–485
    myocardial failure in, 465–466
    operative procedure in, 455–458
    postcommissurotomy patient, 502
    postoperative care, 458–485
    postperfusion syndrome, 476
    postpericardiotomy syndrome, 475–476
    potassium levels after, 451–452, 468–469
    preoperative period, 449–455
    prosthetic replacements, 386–387
      See also Prosthetic heart valves
    in psychiatric disorders, 454–455
    psychiatric disorders after, 483–484
    pulmonary congestion in, 467–468
    in pulmonary disorders, 452–453
    pulmonary embolism after, 476–477
    in renal disease, 453
    renal function impairment after, 480
    respiratory complications of, 460–463
    selection of patients for, 449–450
    shock from, 464
    sodium levels after, 469
    sudden death from, 483
    and ventilation maintenance, 459–460, 463
Sweating, in high-risk infants, 172
Sympathetic innervation of heart, development of, 97–108
Systolic time intervals, in neonatal heart disease, 363–364

Temperature maintenance, postoperative, for infants, 222, 233
Tetralogy of Fallot. *See* Fallot's tetralogy
Thiazide diuretics
  in congenital heart disease in infants, 216
  in congestive heart failure of newborn, 182, 224
Thromboembolic disease. *See* Embolism
Thrombogenicity, of prosthetic heart valves, 375–377, 395, 552–554
Tourniquets, rotating, in pulmonary edema of newborn, 182
Toxins, myocarditis from, 279–281
Toxoplasmosis, and myocarditis in infants, 279
Tracers, radioactive, diagnostic use of, 1–22
Tracheobronchial aspiration, postoperative, in infants, 221–222
Transfusions
  for infants with congenital heart disease, 215, 224, 233
  in valvular heart surgery, 466

Transposition of great vessels, 68, 81, 84
balloon septostomy in, 179
cardiac catheterization in, 205–206
corrected, 74, 80
echocardiography in, 353
hemodynamic effects of, 134
surgical correction in infancy, 241–244, 252
Transportation of infants, with cardiologic problems, 185–187
Trauma, from prosthetic heart valves, 377–378
Tricuspid valve
abnormal fusion of, 77
atresia of, echocardiography in, 350
Ebstein's anomaly of, 71, 78
prosthetic valve in, 386
prosthetic, 385
in children, 386
operative technique in, 388–389
results of operation, 393
regurgitation, 529–532
echocardiography in, 353
in newborn, 164–165
rheumatic, 529–532
venous pulse in, 362
stenosis, rheumatic, 524–529
Triglycerides, myocardial, 318–319
Truncus arteriosus
persistent, 69, 81
with pulmonary atresia and ventricular septal defect, 245–246
Tyrosine hydroxylase, activity in fetal heart, 105

Urinary tract infection, and valvular heart surgery, 453

Valve replacement
evaluation of different valve types, 613–615
with fascia lata, 612–613
heterograft, 607–612
homografts, 589–604
aortic, 600–603
clinical results, 600
collection of, 590
compared to Starr-Edwards valves, 603
host reactions to, 594–595
mitral, 603
rejection of, 595–598
sterilization of, 590–591
storage of, 591–592
surgical technique, 598–600
viability and morphology of, 592–594
necropsy studies of tissue valves, 573–574, 585
prosthetic, 604–607
See also Prosthetic heart valves
pulmonary valve autografts, 613
Valvotomy
mitral, mitral obstruction after, 502
pulmonary, in infants, 339
Valvular heart disease
angiography in, 427–444
clinical applications of, 439–443
and indices of left ventricular function, 441
methods of, 427–434
pathophysiologic findings in, 435–439
and quantitation of regurgitation, 439–440
criteria for surgery in, 441–442
pressure overload in, 438–439
prognosis of, 443
prostheses for, 369–397
See also Prosthetic heart valves; Valve replacement
rheumatic, 491–533
See also Rheumatic valvular disease
surgery in, 449–485
See also Surgery, valvular
volume overload in, 435–438
See also specific valves
Varicella myocarditis, in infants, 277
Vena cava, left superior, persistence of, 79
Venous disease, radioactive tracers in detection of, 5–6
Venous pressure, central, postoperative monitoring of, in infants, 222–223, 233
Venous pulse, jugular, 360–363
Ventilation, artificial
postoperative, for infants, 220–221, 233, 247–249
in pulmonary edema in infants, 182
after valvular heart surgery, 459–460, 463
Ventricles
dysplasia of, 72, 78
echocardiography in single ventricle, 348–349
left
dilatation of, and mitral regurgitation, 414–417
double inlet, 73–74, 80
endocardial fibroelastosis after mitral valve replacement, 563–565
function in heart disease, indices of, 441
muscle function in congenital heart disease, 206–209
pressure development affecting myocardial glucose utilization, 296
pressure overload in valvular heart disease, 438–439
pressure-volume characteristics of, 91–94
in restrictive cardiomyopathy, 268–269
right, double outlet, 74, 80
echocardiography in, 350
surgical correction in infancy, 241
septal defects, 75–76, 80, 82

Ventricles—(*Continued*)
management of infants with, 183
palliative surgery in, 336–337
with pulmonary atresia and truncus arteriosus, 245–246
surgical correction in infancy, 238–239, 251
with transposition of great vessels, 242–244
volume determinations
in congenital heart disease, 192–94, 199–202
in valvular heart disease, 435–438
Viral myocarditis, in infants, 274–277
Volume determinations
left heart, in congenital heart disease, 192–194, 199–204
radioactive tracers in, 2–6
ventricular, in valvular heart disease, 435–438

Waterston operation, 338
Weight of hearts, after valve replacement, 577